

AO-116

April-2022

B.Sc., Sem.-IV

CC-204 : Mathematics

Advance Calculus-II (Theory)

Time : 2 Hours]

[Max. Marks : 50

- સૂચનાઓ : (1) પ્રશ્નક્રમાંક 1 થી 8 માંથી ગમે તે ત્રણના જવાબ આપો.
 (2) પ્રશ્ન-9 ફરજિયાત છે.
 (3) ઉત્તરવહીમાં પ્રશ્નપત્રમાં દર્શાવ્યા પ્રમાણે પ્રશ્નનો અંક લખવો.
 (4) જમણી બાજુના અંક જે તે પ્રશ્નના ગુણભાર દર્શાવે છે.

વિભાગ - I

1. (A) કિંમત શોધો : $\iint_R xy dx dy$. જ્યાં $R = \{(x, y) / x \geq 0, y \leq 4, x^2 \leq y\}$ 7
 (B) ચામ સમતલો અને સમતલ $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 1$ વડે બંધ ઘનનું ઘનફળ શોધો. 7
2. (A) ત્રિપલ સંકલનની સમજ આપો. તેનો ઉપયોગ કરી $\int_0^1 \int_0^\pi \int_0^\pi y \sin z dx dy dz$ નું મૂલ્ય શોધો. 7
 (B) સંકલન $\int_0^3 \int_{\sqrt{9-y^2}}^{y+6} f(x, y) dx dy$ નો ક્રમ બદલો. 7
3. (A) પ્રચલિત સંકેતોમાં સાબિત કરો કે $\beta(m, n+1) + \beta(m+1, n) = \beta(m, n)$ 7
 (B) સાબિત કરો કે $\nabla^2 f(r) = f''(r) + \frac{2}{r} f'(r)$. 7
4. (A) જો $\vec{r} = (x, y, z)$ અને $r = |\vec{r}|$ હોય તો સાબિત કરો કે $\text{div}(\phi(r)\vec{r}) = 3\phi(r) + r\phi'(r)$. 7
 (B) બીટા-ગામા વિધેયોનો ઉપયોગ કરી કિંમત શોધો. 7
- (i) $\int_0^\infty \left(\frac{x}{1+x^2}\right)^6 dx$
 (ii) $\int_0^{\pi/2} \sqrt{\tan \theta} d\theta$

5. (A) ગ્રીનનું પ્રમેય લખો અને સાબિત કરો. 7
- (B) કિંમત શોધો. $\iint_S \bar{f} \cdot n \, ds$ જ્યાં $\bar{f} = (x^3 - yz, -2x^2y, z)$ અને S એ $x = 0, y = 0, z = 0,$
 $x = a, y = a, z = a$ થી ઘેરાયેલ ચોરસ પેટીનું પૃષ્ઠ છે. 7
6. (A) સ્ટોકસનું પ્રમેય લખો અને સાબિત કરો. 7
- (B) કિંમત શોધો : $\oint (x^2 + y) \, dx + (2x + y^2) \, dy$ જ્યાં C એ (1, 1), (1, 2), (2, 2) અને (2, 1) શિરોબિંદુઓ વાળો ચોરસ છે. 7
7. (A) વિકલ સમીકરણ $(y + z)p + (z + x)q = x + y$ નો વ્યાપક ઉકેલ મેળવો. 7
- (B) આંશિક વિકલ સમીકરણ $x^2p + y^2q = (x^2 - y^2)z$ નો ઉકેલ મેળવો. 7
8. (A) સાબિત કરો કે પરિભ્રમણીય પૃષ્ઠ $z = f(r)$ નું આંશિક વિકલ સમીકરણ $yp - xq = 0$ છે. જ્યાં,
 $r = \sqrt{x^2 + y^2}$ 7
- (B) શરતો $z(x, 0) = x^2$ અને $z(1, y) = \sin y$ ને આધીન $\frac{\partial^2 z}{\partial x \partial y} = x^2 y$ ઉકેલો. 7

વિભાગ - II

9. ટૂંકમાં જવાબ આપો : (ગમે તે ચાર) 8
- (1) કિંમત શોધો. $\int_0^2 \int_0^x 1 \, dy \, dx$.
- (2) સાબિત કરો કે $\beta(m, n) = \beta(n, m)$.
- (3) સાબિત કરો કે $\int_0^1 \sqrt{x} \sqrt[3]{(1-x^2)} \, dx = \frac{1}{2} \beta\left(\frac{3}{4}, \frac{4}{3}\right)$.
- (4) જો $x = r \cos \theta, y = r \sin \theta$ તો $\frac{\partial(x, y)}{\partial(r, \theta)}$ શોધો.
- (5) સાબિત કરો કે $\text{div}(\text{curl}F) = 0$ જ્યાં $F = (f_1, f_2, f_3)$.
- (6) પ્રચલિત સંકેતોમાં સાબિત કરો કે $\text{curl}(\text{grad} \phi) = 0$.

AO-116

April-2022

B.Sc., Sem.-IV

CC-204 : Mathematics

Advance Calculus-II (Theory)

Time : 2 Hours]

[Max. Marks : 50

- Instructions :**
- (1) Attempt any **three** questions from question **1** to **8**.
 - (2) Question **9** is compulsory.
 - (3) Write the question number in your answer book as shown in the question paper.
 - (4) The figures to the right indicate marks of the questions.

Section – I

1. (A) Evaluate : $\iint_R xy dx dy$. Where $R = \{(x, y) / x \geq 0, y \leq 4, x^2 \leq y\}$ 7
 (B) Find the volume of solid bounded by the co-ordinate planes and the plane $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 1$. 7
2. (A) Define : Triple integration and use it to evaluate $\int_0^1 \int_0^\pi \int_0^\pi y \sin z \, dx \, dy \, dz$. 7
 (B) Change the order of integration $\int_0^3 \int_{\sqrt{9-y^2}}^{y+6} f(x, y) \, dx \, dy$. 7
3. (A) In usual notation, prove that $\beta(m, n+1) + \beta(m+1, n) = \beta(m, n)$. 7
 (B) Prove that $\nabla^2 f(r) = f''(r) + \frac{2}{r} f'(r)$. 7
4. (A) If $\bar{r} = (x, y, z)$ and $r = |\bar{r}|$ then prove that $\text{div}(\phi(r)\bar{r}) = 3\phi(r) + r\phi'(r)$ 7
 (B) Evaluate using Beta-gamma function 7
 - (i) $\int_0^\infty \left(\frac{x}{1+x^2}\right)^6 dx$
 - (ii) $\int_0^{\pi/2} \sqrt{\tan \theta} \, d\theta$

5. (A) State and prove Green's theorem. 7
- (B) Evaluate $\iint_S \bar{f} \cdot n \, ds$, where $\bar{f} = (x^3 - yz, -2x^2y, z)$ and S is the surface of Cube with faces $x = 0, y = 0, z = 0, x = a, y = a, z = a$. 7
6. (A) State and prove Stoke's theorem. 7
- (B) Evaluate : $\oint (x^2 + y) \, dx + (2x + y^2) \, dy$. Where C is the square having vertices (1, 1), (1, 2), (2, 2) and (2, 1). 7
7. (A) Obtain the general solution of differential equation $(y + z)p + (z + x)q = x + y$. 7
- (B) Solve the Partial differential equation $x^2p + y^2q = (x^2 - y^2)z$. 7
8. (A) Prove that the Partial differential equation of the surface of revolution $z = f(r)$ is $yp - xq = 0$ where $r = \sqrt{x^2 + y^2}$. 7
- (B) Solve $\frac{\partial^2 z}{\partial x \partial y} = x^2y$, subject to condition $z(x, 0) = x^2$ and $z(1, y) = \sin y$. 7

Section – II

9. Give the answer in brief : (Any **four**) 8
- (1) Evaluate $\int_0^2 \int_0^x 1 \, dydx$.
- (2) Prove that $\beta(m, n) = \beta(n, m)$.
- (3) Prove that $\int_0^1 \sqrt{x} \sqrt[3]{(1-x^2)} \, dx = \frac{1}{2} \beta\left(\frac{3}{4}, \frac{4}{3}\right)$.
- (4) If $x = r \cos \theta, y = r \sin \theta$, then find $\frac{\partial(x, y)}{\partial(r, \theta)}$
- (5) Prove that $\text{div}(\text{curl}F) = 0$, where $F = (f_1, f_2, f_3)$.
- (6) In usual notation prove that $\text{curl}(\text{grad} \phi) = 0$.
-