

# AE-111

August-2021

M.A., Sem.-IV

511-EB : Psychology  
(Psychotherapeutics)

Time : 2 Hours]

[Max. Marks : 50

નીચેનામાંથી કોઈપણ ત્રણ પ્રક્રિયા જવાબ આપો : (દરેકના 14 ગુણ)

1. મનોચિકિત્સામાં મનોચિકિત્સકની ભૂમિકાના મહત્વ પર ભાર મૂકો. દર્દી કોણ હોય છે અને મનોચિકિત્સા સંબંધ કેવી રીતે કામ કરે છે ?
2. નીચેનામાંથી મનોવિશ્લેષણાત્મક મનોચિકિત્સાના કોઈપણ બે મુદ્દાઓને સમજાવો :
  - (a) વિરેચન
  - (b) સ્થાનાંતરણ
  - (c) મુક્ત સાહચર્ય
  - (d) સ્વખ વિશ્લેષણ
3. ડેસ-ઉદાહરણની સહાયથી ડેસ પ્રત્યયીકરણ પ્રક્રિયા પર ચર્ચા કરો.
4. રોગનિવારક સંબંધનો નિર્માણ અને જાળવણી કેવી રીતે થઈ શકે તે અંગે તમારા મંતવ્યો આપો.
5. મનોચિકિત્સક મનોચિકિત્સા સત્ત્રો પછી દર્દીમાં પરિવર્તનનું મૂલ્યાંકન કેવી રીતે કરી શકે છે ?
6. મનોચિકિત્સક મનોપચારમાં દર્દી માટે અસરકારક પરિસમાપ્તિનું મૂલ્યાંકન કેવી રીતે કરે છે ?
7. આજના આધુનિક દશ્યમાં કાર્બ રોજર્સ દ્વારા આપેલ દર્દીકન્દ્રિત મનોપચારનું મહત્વ બતાવો.
8. વર્તન મનોપચારની કોઈપણ બે તકનીકો વિશે ચર્ચા કરો.
  - (a) ચિંતા-ઘટાડો પ્રક્રિયા
  - (b) શાસ્ત્રીય અભિસંધાન તકનીકીઓ
  - (c) સામાજિક કુશળતા અને સમસ્યા હલ કરવાની તાલીમ

નીચેના પ્રશ્નોમાંથી કોઈપણ ચાર MCQs ના જવાબ આપો : (દરેકના 2 ગુણ)

1. નીચેનામાંથી કોઈપણ બે નવ-ફોર્મિઅન્સના નામ આપો :  
 (a) કાર્લ રોજર્સ અને અભ્રાહમ માસ્લો (b) ફિટ્જ પલ્ર્સ અને પોલ ગુડમેન  
 (c) આલ્ફેડ એડલર અને કાર્લ યુંગ (d) દરવિન યાલોમ અને રોલો મે

2. જૂથ મનોપચારના ઉદાહરણો \_\_\_\_\_ છે.  
 (a) આર.ઇ.બી.ટી. અને સી.બી.ટી. (b) ડૌટંબિક અને વૈવાહિક મનોપચાર  
 (c) દર્દી-કેન્દ્રિત અને સારગ્રાહી (d) ઉપર્યુક્તમાંથી કોઈ નહિ

3. \_\_\_\_\_ ચિકિત્સક છે જે મોડલને ધ્યાનમાં લીધા વિના વિશિષ્ટ કુશળતા પ્રાપ્ત કરે છે, જ્યારે \_\_\_\_\_ એ તકનીક અને મારકા-લક્ષી છે જે આ સમયે સૌથી વધુ પ્રાપ્તાત છે તે વ્યવહાર કરે છે.  
 (a) તકનીકીવિદ, રાજકારણી (b) ચિકિત્સક, સૈદ્ધાંતિક  
 (c) રાજકારણી, તકનીકીવિદ (d) સૈદ્ધાંતિક, ચિકિત્સક

4. ઉપચારાત્મક દરમિયાનગીરી માટે પ્રારંભિક લક્ષ્ય સમસ્યાઓ પસંદ કરવામાં નીચેનામાંથી કઈ મહત્વની વિચારણા છે ?  
 (a) દર્દીની એકંદર કાર્યાત્મક ક્ષતિ અને સક્રિયકરણનો સ્તર  
 (b) દર્દીની આત્મસન્માન અને સમસ્યાથી સંબંધિત વ્યક્તિગત જવાબદારી  
 (c) તાકીદ અથવા સમસ્યાનું સંભવિત જોખમ  
 (d) ઉપરોક્ત તમામ

5. 2001માં \_\_\_\_\_ અને \_\_\_\_\_ એ પ્રોચ્સકા અને ડિક્લેમેન્ટેના પરિવર્તનનાં તબક્કાઓ મોડેલમાં વધારાના પાંચ તબક્કાઓ પર વિસ્તર્યું છે.  
 (a) ફીમેન અને ડોલન (b) બ્રાઉનેલ અને માર્લાટ  
 (c) ગોર્ડન અને વિલ્સન (d) ડ્રાયન અને લિક્ટેન્સાઈન

6. \_\_\_\_\_ અને \_\_\_\_\_ ઉપચારના પરિસમાપ્તિના વિશિષ્ટ કારણો છે.  
 (a) પ્રારંભિક લક્ષ્યોની પ્રાપ્તિ અને નાણાકીય મુદ્દાઓ (b) વ્યાવહારિક સંજોગો અને દર્દીની હિયાઓ  
 (c) બંને (a) અને (b) (d) ઉપર્યુક્તમાંથી કોઈ નહિ

7. \_\_\_\_\_ ત્યારે હોય છે જ્યારે વર્તણૂક શક્યતાના પરિણામે વર્તણૂક ઘેટે છે અને \_\_\_\_\_ જ્યારે વર્તણૂકને અસર કરતી પ્રબલીકરણની શક્યતા વિછોડવાની પ્રક્રિયાનો સંદર્ભ આપે છે.  
 (a) અસ્વેદનશીલતા અને સજા (b) સજા અને વિલોપન  
 (c) પ્રબલીકરણ અને સજા (d) વિલોપન અને અસ્વેદનશીલતા

8. એલિસ ABC અક્ષરો દ્વારા REBT માં ત્રણ-પગલાંના મોડેલનું વર્ણન કરે છે જ્યાં A \_\_\_\_\_ સૂચવે છે, B \_\_\_\_\_ સૂચવે છે અને C \_\_\_\_\_ સૂચવે છે.  
 (a) સક્રિય ભાવના, દર્દીનું વર્તન, ભાવનાત્મક નિર્ઝર્ષ  
 (b) સક્રિય ઊર્જા, દર્દીનું વર્તન, ભાવનાત્મક પ્રકાર  
 (c) સક્રિય ઉત્તેજના, દર્દીની માન્યતાઓ, ભાવનાત્મક એકદ્વપ્તા  
 (d) સક્રિય ધરના, દર્દીની માન્યતાઓ, ભાવનાત્મક પરિણામ

# **AE-111**

**August-2021**

**M.A., Sem.-IV**

**511-EB : Psychology  
(Psychotherapeutics)**

**Time : 2 Hours]**

**[Max. Marks : 50**

Answer any **three** from the following questions : (14 marks each)

1. Emphasize the importance of the role of a psychotherapist in psychotherapy. Who is the client and how does the psychotherapy relationship work ?
2. Explain any two issues of psychodynamic psychotherapy from the following :
  - (a) Catharsis
  - (b) Transference
  - (c) Free association
  - (d) Interpretation of dreams
3. Discuss the case conceptualization process with help of a case example.
4. Give your views on how the building and maintaining of therapeutic relationship can take place.
5. How can a psychotherapist evaluate change in a client after the psychotherapy sessions ?
6. How does a psychotherapist evaluate an effective termination for the client in therapy ?
7. Show the importance of client-centred therapy by Carl Rogers in today's modern scenario.
8. Discuss any **two** techniques of behaviour psychotherapy.
  - (a) Anxiety-reduction methods
  - (b) Operant learning techniques
  - (c) Social skills and problem-solving training

Answer any **four** from the following MCQs : (2 marks each)

1. Name any two Neo-Freudians from following :  
(a) Carl Rogers and Abraham Maslow      (b) Fritz Perls and Paul Goodman  
(c) Alfred Adler and Carl Jung      (d) Irvin Yalom and Rollo May
  2. Examples of group therapy are \_\_\_\_\_.  
(a) REBT and CBT      (b) Family and marital Psychotherapy  
(c) Client-centred and electric      (d) None of the above
  3. The \_\_\_\_\_ is the therapist who acquires specific skills, regardless of the model, whereas the \_\_\_\_\_ is technique and brand oriented practicing what is most popular at the moment.  
(a) Technician, politician      (b) Clinician, theoretician  
(c) Politician, technician      (d) Theoretician, clinician
  4. Which of the following are important considerations in picking initial target problems for therapeutic intervention ?  
(a) Level of patient's overall functional impairment and degree of activation  
(b) Patient's self-esteem and personal responsibility related to the problem.  
(c) Urgency or the potential risk of the problem.  
(d) All of the above
  5. \_\_\_\_\_ and \_\_\_\_\_ in 2001 expanded on Prochaska and Diclemente's model of stages of change with additional five stages.  
(a) Freeman and Dolan      (b) Brownell and Marlatt  
(c) Gordon and Wilson      (d) Dryden and Lichtenstein
  6. \_\_\_\_\_ and \_\_\_\_\_ are typical reasons for termination of therapy.  
(a) Attainment of initial goals and financial issues  
(b) Practical circumstances and client actions  
(c) Both (a) and (b)  
(d) None of the above
  7. \_\_\_\_\_ is when behaviour decreases as a result of a behavioural contingency whereas \_\_\_\_\_ refers to the procedure of disconnecting a reinforcement contingency affecting behaviour.  
(a) Desensitization and punishment      (b) Punishment and extinction  
(c) Reinforcement and punishment      (d) Extinction and desensitization
  8. Ellis describes a three-steep model in REBT by letters ABC where A denotes \_\_\_\_\_, B denotes \_\_\_\_\_, and C denotes \_\_\_\_\_.  
(a) Activating emotion, client's behaviour, emotional conclusion  
(b) Active energy, client's behaviour, emotional category  
(c) Activating arousal, client's beliefs, emotional congruence  
(d) Activating event, client's beliefs, emotional consequence
-