3/11

1505E650

Candidate's Seat No :_____

IMBA PHM (Rep.) Sem.-4 Examination

PHM-BBA_CC-4

FOS-II

Time : 2-30 Hours] **May-2025** **[Max. Marks : 70**

Instructions :(1) This paper contains **FIVE** questions.
(2) All questions are compulsory.
(3) Question No.**2, 3, 4** have internal options.
(4) Figures in the right side in parenthesis indicate marks.

Q:1 (A) It is known that on an average a person spends 61 minutes in a painting exhibition. If this time is normally distributed and 20% of the persons spent less than 30 minutes in the exhibition then find the variance of the distribution. Also determine the probability that a person spends more than 90 minutes in the exhibition. **(07)**

(B) A sample of heights of 6400 soldiers has a mean of 67.45 inches with a S.D. of 2.56 inches while a sample of heights of 1600 sailors has a mean of 68.55 inches with a S.D. of 2.52 inches. Do the data indicate that the sailors are on the average taller than soldier? **(07)**

Q:2 (A) Explain standard error in detail. **(07)**

(B) According to the U.S. Department of Labor, the average American household spends $639 on household supplies per year. Suppose annual expenditures on household supplies per household are uniformly distributed between the values of $253 and $1,025. What are the standard deviation and the height of this distribution? What proportion of households spend more than $850 per year on household supplies? What proportion of households spend more than $1,200 per year on household supplies? What proportion of households spend between $350 and $480 on household supplies? **(07)**

OR

Q:2 (A) Define exponential distribution. State its properties. **(07)**

(B) A random sample of 100 articles selected from a batch of 2000 articles shows that the average diameter of the articles is 0.356 with a S.D 0.048. Find 95% confidence interval for the average of this batch of 1000 articles **(07)**

(P.T.O)

E650-2

Q:3 Explain: **(14)**

(i) Null Hypothesis (ii) Alternative Hypothesis

(iii) Simple Hypothesis (iii) Complex Hypothesis

OR

Q:3 (A) Explain the procedure of decision making **(07)**

(B) Explain Type-I error and Type-II error. **(07)**

Q:4 A manufacturer claimed that at least 95% of the equipments which he supplied to a factory confirmed to specifications. An examination of a sample of 200 pieces of equipments revealed that 18 were faulty. **(14)**

Test its claim at a significance level of (i) 5% (ii) 1%

OR

Q:4 Ten students are selected at random from a college and their heights as found to be 100, 104, 108, 110. 118. 120. 122, 124, 126 and 125 cms. In the light of these data, discuss the suggestion that the mean height of the students of the college is 110 cms. **(14)**

Q:5 Do as directed: **(14)**

i. Define Type-II Error.
ii. What is the criteria for the acceptance of the null hypothesis?
iii. For a normal distribution, the estimated value of quartile deviation is 12. Find the value of standard distribution.
iv. State the mean of uniform distribution.
v. State the meaning of large sample and small sample.
vi. What is the value of Z at 1% level of significance?
vii. Define sample.

E650-3

Cumulative Standardized Normal Distribution



$A(z)$ is the integral of the standardized normal distribution from $-\infty$ to z (in other words, the area under the curve to the left of z). It gives the probability of a normal random variable not being more than z standard deviations above its mean. Values of z of particular importance:

z	$A(z)$	
1.645	0.9500	Lower limit of right 5% tail
1.960	0.9750	Lower limit of right 2.5% tail
2.326	0.9900	Lower limit of right 1% tail
2.576	0.9950	Lower limit of right 0.5% tail
3.090	0.9990	Lower limit of right 0.1% tail
3.291	0.9995	Lower limit of right 0.05% tail

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9999							